

本測試報告僅提供永森家具系統有限公司業務推廣使 用,本文件不具出貨證明之效益,並請認明所有文件 未蓋公司大章皆不具效力。上述測試數據,僅供參



批准Testing Laboratory 0292

報告編號: TB-22-01419

C-22-03339

數: 2 OF 頁

報告日期: 111年04月18日

里,

試驗項目	試驗結果	方法偵測極限(MDL) 試驗方法
甲醛釋出量-最大值 (mg/L)	0.2	0.05 CNS 2215(2012)
甲醛釋出量-平均值 (mg/L)	0.2	0.05

1.結果低於方法偵測極限值(MDL)之測定值以"N.D."表示; 註:

若高於方法偵測極限值(MDL),但低於定量極限值(QDL)時,以"<0.2"表示, 並括號註明其實測值

- 2.N.D. = Not Detected / 未檢出
- 3.本試驗報告厚度、密度、含水率、抗彎強度、耐衝擊性及甲醛釋出量試驗為TAF認證範圍, 其餘則非
- 4.本試驗報告之試驗地點同實驗室地址

000 -

本報告若有提供規範值時,該規範值僅供參考,合格之判定以委託單位實際要求為準

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



材料暨工程實驗室-台中

用,本文件不具出貨證明之效益,並請認明所有文件 未蓋公司大章皆不具效力。上述測試數據,僅供參

本測試報告僅提供永森家具系統有限公司業務推廣使



批准 Testing Laboratory 0292

022.06.13

試驗報告

報告編號: TB-22-01419

C-22-03339

數: 1 OF 頁

報告日期: 111年04月18日

稱:自測 程 名 工

商: -----承

位: 威佐開發股份有限公司 委 託 單

商: -----供 料

稱: EGGER F**** 愛格化粧粒片板 18 mm 樣 品 名

員: 威佐開發股份有限公司-陳柔安 驗 人 送

期: 111年03月15日 件 收 日

期: 111年03月15日~111年04月18日 試 驗 日

註: 1.以上資料 (樣品名稱、送驗人員、會驗人員、試驗方法、試驗數量

收件日期及試驗日期除外)及下述報告內容標示#處係由顧客提供

2.除非另有說明,此報告結果僅對測試之樣品負責 未經本公司事先書面同意,此報告不可部分複製

里: 灶 睑

備

武 淑 治 木 ·	· · · · · · · · · · · · · · · · · · ·	Assessment of the second secon	
試驗項目	試驗結果	試驗方法	
厚度 (mm)	18.4		
密度 (g/cm³)	0.12		
含水率 (%)	8		
抗彎強度 (N/mm²)	× 450 21.6		
濕潤抗彎強度-A試驗 (N/mm²)	10.7		
耐衝擊性 (W ₂ -500,100 cm)	無龜裂、破壞及剝離的情形 (平均凹陷直徑 14 mm)	CNS 2215(2017)	
吸水厚度膨脹率 (%)	6	Restriction (Statement - Notice Footback	
木螺釘保持力 (N)	501		
內聚強度 (N/mm²)	0.6	THE FORMAL STREET, AND THE STR	
— 平面抗拉強度 (N/mm²)	0.9	I SIEX	
紅色蠟筆之耐污染性	污染用灰色標 3-4 級		
耐酸性 (5%乙酸水溶液)	不變色	批准」与福西	
耐鹼性(1%碳酸鈉水溶液)	不變色	(2022.06.13) المالية ا	
		威佐開發	

本報告若有提供規範值時,該規範值僅供參考,合格之判定以委託單位實際要求為準

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.kw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their right and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

f (886-4) 2359-2557



材料暨工程實驗室-台中

本測試報告僅提供 永森家具系統有限公司業務推廣使 用,本文件不具出貨證明之效益,並請認明所有文件 未蓋公司大章皆不具效力。上述測試數據,僅供參

批准

報告編號: TB-22-01420

C-22-03340

數: 1 OF

報告日期: 111年04月18日

稱: 自測 名 工 程

承 包 商: -----

委 託 位: 威佐開發股份有限公司

商: -----供 料 廠

稱: EGGER F**** 愛格化粧粒片板 18 mm 品 名

送 驗 人 員: 威佐開發股份有限公司-陳柔安

件 日 期: 111年03月15日 收

期: 111年03月15日~111年04月18日 試

備

註: 1.以上資料 (樣品名稱、送驗人員、會驗人員、試驗方法、試驗數量、

收件日期及試驗日期除外)及下述報告內容標示#處係由顧客提供

2.除非另有說明,此報告結果僅對測試之樣品負責

未經本公司事先書面同意,此報告不可部分複製

果:

試驗巧	頁目	試驗結果	試驗方法	
外觀 耐變褪色性 色差(△E*	外觀	表面無裂隙、鼓脹等缺點	CNS 2215(2017)	
	色差(△E*)	0.37		

註:1.試驗機型式:SUGA U48

2.濾鏡:密閉式 >

3. 使用光源: Ultraviolet Carbon Arc

4.測試條件:黑板溫度:63±3℃、試驗槽溫度:42±3℃、

相對濕度:30±5% R.H.、測試週期:100% 照光

5.本報告耐變色性試驗委託SGS材料暨工程實驗室-高雄執行

----- oOo -----

本報告若有提供規範值時,該規範值僅供參考,合格之判定以委託單位實際要求為準

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.kw/Terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.kw/Terms-and-Conditions. Altention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

TWO 2 0 2 6 5 0 7

TWD3026597



本測試報告僅提供 永森家具系統有限公司業務推廣使 用,本文件不具出貨證明之效益,並請認明所有文件 未蓋公司大章皆不具效力。上述測試數據,僅供參

批准

報告編號: TB-22-02391

C-22-05574

數: 1 OF 1 頁

報告日期: 111年05月13日

稱:自測 工 程 名 商: -----

句.

承

備

位: 威佐開發股份有限公司 委 託

商: -----供 料 麻

稱: 塑合板 樣 名 品

員: 威佐開發股份有限公司-江弈函 送 驗

期: 111年05月06日 收 件 H

期: 111年05月06日~111年05月13日 試 驗

註: 1.以上資料 (樣品名稱、送驗人員、會驗人員、試驗方法、試驗數量、

收件日期及試驗日期除外)及下述報告內容標示#處係由顧客提供

2.除非另有說明,此報告結果僅對測試之樣品負責 未經本公司事先書面同意,此報告不可部分複製

試	試驗結果				
試驗項目	測定項目	SAMPLE 1	SAMPLE 2	試驗方法	
防焰性	火源加熱時間(min)	1/2	2	CNS 11668(2008)	
	餘焰時間(sec)	/ 0	0		
	餘爐時間(sec)	0	0		
	炭化面積(cm²)	47	49		

1.試驗樣品厚度: SAMPLE 1為18.0 mm; SAMPLE 2為18.1 mm 註:

#2.測試面為正面

3.本試驗之樣品不在TAF認證範圍內,故無法出具TAF標誌之報告

4.本試驗報告之試驗地點同實驗室地址

----- oOo -----

2022.06.1

本報告若有提供規範值時,該規範值僅供參考,合格之判定以委託單位實際要求為準

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.