



CERTIFICATE

Certificate-Holder

Pfleiderer Deutschland GmbH

Ingolstädter Str. 51 92318 Neumarkt Deutschland

System

FSC" - Chain of Custody / Controlled Wood

Standard

FSC-STD-40-003, FSC-STD-40-004, FSC-STD-40-005, FSC-STD-40-007

Testing-basis

Certification Scheme FSC* - Chain of Custody (2017-08)

FSC-Control-System

FSC Creditsystem / Transfer System

Status of Material

FSC Mix / FSC Recycled / FSC 100 % / FSC Controlled Wood

Registration No.

TUVDC-COC-101049 TUVDC-CW-101049

Edition(s)

1. Issue

Valid until

2022-08-23

Remark(s)

The validity of this certificate as well as further details regarding the certification

scope shall be verified on www.fsc-info.org.

This certificate is property of DIN CERTCO GmbH. Certificates and their copies

must be returned immediately upon request of DIN CERTCO GmbH.

This certificate itself does not constitute evidence that a particular product supplied by the certificate holder is FSC-certified [or FSC Controlled Wood]. Products offered, shipped or sold by the certificate holder can only be considered covered by the scope of this certificate when the required FSC claim is clearly

stated on invoices and shipping documents.

See annex for further information.



A company of TÜV Rheinland Group

Precisely Right.









CERTIFICATE

Certificate Holder

Pfleiderer Deutschland GmbH

Ingolstädter Str. 51 92318 Neumarkt

Germany

System

Chain of Custody of Forest Based Products

Multisite (Sites please see annex)

Standard

Chain of custody of forest based products - Requirements

(PEFC ST 2002:2013)

Testing basis

Certification scheme "Chain of Custody of Forest Based Products/ Chain of

Custody" (CoC) (2017-11)

Testing method

Percentage-based Method / Physical Separation Method

Scope

The control system for the Chain of Custody specifies:

- the operational information system with documentation about the origin of the

wood raw material from PEFC certified, sustainable managed forests

- the personnel responsible for control and implementation of the system

- the inventory control and documentation of raw material flows in order to

monitor the volume of PEFC certified wood

- the segregating of wood and wood based raw material from different origins

physically (PEFC certified / not certified) in all phases of transportation, production

and distribution

Registration No.

DC-COC-001049

Valid until

2022-08-23

Remark(s)

See annex for further information.



2019-06-04 Dipl.-Phys. Carlo Seiser

Certifier



CERTIFICATE



On the basis of the contract on the use of the environmental label no. 30994 based on DE-UZ 76 Edition 2016

Pfleiderer Deutschland GmbH 92318 Neumarkt, Deutschland

is granted the right to use the Blue Angel Ecolabel shown below for the product

Pfleiderer DecoBoard P2, Beschichtete Spanplatte für den Innenausbau, Dickenbereich 8 – 25 mm

as a sign of special environmental friendliness



Bonn, 12 April 2018



Managing Director RAL gGmbH











材料暨工程實驗室-台中

報告編號: TB-22-03653

C-22-08087

數: 1 OF 1

報告日期: 111年07月20日

程 名 稱: 自測 T 商: -----承 句

委 託 位: 瑞達特貿易有限公司 廠 商: 瑞達特貿易有限公司 供 料

名 稱: 德國PFLEIDERER集團Wodego低甲醛塑合板/化妝粒片板Melamine Faced Chipboard(18mm) 樣 00

員: 瑞達特貿易有限公司-謝佩珊 送 驗

日 期: 111年07月08日 件 收

日 期: 111年07月08日~111年07月20日 試 驗

註: 1.以上資料(樣品名稱、送驗人員、會驗人員、試驗方法、試驗數量、 收件日期及試驗日期除外)及下述報告內容標示#處係由顧客提供

2.除非另有說明,此報告結果僅對測試之樣品負責 未經本公司事先書面同意, 此報告不可部分複製

 本樣品由SGS材料暨工程實驗室-台北(申請書號碼: HB-22-04956 C-22-21267, 收件日期:111年07月06日)轉送至本實驗室執行本報告所示之試驗項目。

4+

備

試驗項目	試驗項目 試驗結果 方法偵測極限(MDL)		
3八板項目	刘 领·给·木	力/云镇州经R(MDL)	試驗方法
甲醛釋出量-最大值 (mg/L)	0.2	0.05	CNS 2215(2017)
"甲醛釋出量-平均值 (mg/L)	0.2	0.05	CNS 2213(2017)

註:1.試驗結果若低於方法偵測極限值(MDL)之測定值以"N.D."表示;

若高於方法偵測極限值(MDL),但低於定量極限值(QDL)時,以"<0.2"表示,

並括號註明其實測值

2.N.D. = Not Detected / 未檢出

3. 本試驗報告之試驗地點同實驗室地址



本報告若有提供規範值時,該規範值僅供參考,合格之判定以委託單位實際

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reporteduced except in full, without prior written approval of the Company. Any unauthorized attention, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

TWD 5438378





報告編號: HB-22-04952

C-22-21263

數: 1 OF 1

報告日期:111年 07月 25日

委 託 單 位:瑞達特貿易有限公司 供 料 廠 商:瑞達特貿易有限公司

樣 D 名 稱: 德國 PFLEIDERER 集團 Wodego 低甲醛塑合板/化妝粒片板 Melamine Faced

Chipboard(18mm)

送 驗 人 員:瑞達特貿易有限公司(謝佩珊)

收 件 日期: 111年 07月 06日

試 日期: 111年07月06日~111年07月22日 黔

備 註: 1. 以上資料(樣品名稱、送驗人員、會驗人員、試驗方法、試驗數量、

收件日期及試驗日期除外)及下述報告內容標示#處係由顧客提供

2. 除非另有說明,此報告結果僅對測試之樣品負責 未經本公司事先書面同意,此報告不可部分複製

試驗結果:

試驗項目	試驗方法	試驗結果
抗彎強度(N/mm²)	CNS 2215(2017)	16.0

註:本試驗報告之測試地點於新北市五股區(新北產業園區)五權路55號。



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx. Attention is drawn to the limits to make the time of its instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company Any unauthorized afteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

TWB 9120990

SBS Taiwan Ltd. 35, Wu Chyuan Road, (New Taiper Industrial Park) Wu Ku District, New Taiper City, Taiwan /新北市五股區(新北產業園區)五權路35號技股份有限公司 t (886.2) 2298-3355 f (886.2) 2299-7857 www.sgs.tw

台灣檢验科技股份有限公司





報告編號: HB-22-04953

C-22-21264

數: 1 OF 1

報告日期:111年 07月 25日

委 單 位: 瑞達特貿易有限公司 託 供 料 廠 商: 瑞達特貿易有限公司

樣 D 名 稱: 德國 PFLEIDERER 集團 Wodego 低甲醛塑合板/化妝粒片板 Melamine Faced

Chipboard(18mm)

人 員: 瑞達特貿易有限公司(謝佩珊) 送 驗

日期:111年07月06日 收 件

日期: 111年07月21日~111年07月22日 試 驗

註: 1. 以上資料(樣品名稱、送驗人員、會驗人員、試驗方法、試驗數量、 備

收件日期及試驗日期除外)及下述報告內容標示#處係由顧客提供

2. 除非另有說明,此報告結果僅對測試之樣品負責 未經本公司事先書面同意,此報告不可部分複製

試驗結果:

試驗項目	試驗方法	試驗結果
吸水厚度膨脹率(%)	CNS 2215(2017)	7

註:本試驗報告之測試地點於新北市五股區(新北產業園區)五權路55號。



本報告若有提供規範要求值時,該規範值僅繼事者,合格之判定以委託單位實際要求為準。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction forcements cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

TWR 9.1.2.0.9.9.1 TWB 9120991

f |886-2| 2299-7857

www.sgs.tw

Member of SGS Group





報告編號: HB-22-04951

C-22-21262

數: 1 OF 1

報告日期:111年 07月 25日

單 位:瑞達特貿易有限公司 季 託 供 料 廠 商:瑞達特貿易有限公司

00 樣 名 稱: 德國 PFLEIDERER 集團 Wodego 低甲醛塑合板/化妝粒片板 Melamine Faced

Chipboard(18mm)

送 驗 人 員: 瑞達特貿易有限公司(謝佩珊)

收 件 日期:111年07月06日

試 日期: 111年07月20日~111年07月21日

備 註: 1. 以上資料(樣品名稱、送驗人員、會驗人員、試驗方法、試驗數量、

收件日期及試驗日期除外)及下述報告內容標示#處係由顧客提供

2. 除非另有說明, 此報告結果僅對測試之樣品負責 未經本公司事先書面同意,此報告不可部分複製

試驗結果:

試驗項目	試驗方法	試驗結果
含水率(%)	CNS 2215(2017)	8. 5

註:本試驗報告之測試地點於新北市五股區(新北產業園區)五權路55號。



本報告若有提供規範要求值時,該規範值僅概象者,合格之劃定以委託單位實際要求為準。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not expense parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

 SGS Taiwan Ltd.
 35. Wu Chyuan Fload (New Taipai Industrial Park) Wu Ku District, New Taipai City, Taiwan /新北市五版區(新北產業園區)五粮路35菱柱 (886-2) 2298-3355



報告編號: HB-22-04954

C-22-21265

數: 1 OF 1

報告日期:111年 07月 25日

單 位: 瑞達特貿易有限公司 供 料 廠 商: 瑞達特貿易有限公司

名 稱: 德國 PFLEIDERER 集團 Wodego 低甲醛塑合板/化妝粒片板 Melamine Faced 樣

Chipboard(18mm)

送 人 員: 瑞達特貿易有限公司(謝佩珊) 驗

山生 日期:111年07月06日 試 日期:111年07月22日 驗

註: 1. 以上資料(樣品名稱、送驗人員、會驗人員、試驗方法、試驗數量、

收件日期及試驗日期除外)及下述報告內容標示#處係由顧客提供

2. 除非另有說明, 此報告結果僅對測試之樣品負責 未經本公司事先書面同意,此報告不可部分複製

試驗結果:

備

試驗項目	試驗方法	試驗結果
木螺釘保持力(N)	參考 CNS 2215(2017)	535

註:本試驗報告之測試地點於新北市五股區(新北產業園區)五權路55號。



本報告若有提供規範要求值時,該規範值 4 4 4 **建位**實際要求為準。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions of Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized attention, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

TWC 8 2 3 0.2 6.2
 SGS Taiwan Ltd.
 55, Wu Chyuan Road, (New Taiper Industrial Park.) Wu Ku District, New Taiper City, Taiwan /新北市五股區(新北產業園區)五權路55號台灣檢驗科技股份有限公司

 6灣檢驗科技股份有限公司
 t (886-2) 2298-3355
 f (886-2) 2298-4219



報告編號: HB-22-04955

C-22-21266

數: 1 OF 1

報告日期:111年 07月 25日

委 單 位: 瑞達特貿易有限公司 託 供 料 廠 商: 瑞達特貿易有限公司

名 稱: 德國 PFLEIDERER 集團 Wodego 低甲醛塑合板/化妝粒片板 Melamine Faced 樣 00

Chipboard(18mm)

送 人 員:瑞達特貿易有限公司(謝佩珊) 驗

件 日期:111年07月06日 收 試驗 日期: 111年 07月 22日

備 註: 1. 以上資料(樣品名稱、送驗人員、會驗人員、試驗方法、試驗數量、

收件日期及試驗日期除外)及下述報告內容標示#處係由顧客提供

2. 除非另有說明, 此報告結果僅對測試之樣品負責 未經本公司事先書面同意,此報告不可部分複製

試驗結果:

試驗項目	試驗方法	試驗結果	
內聚強度(N/mm²)	参考 CNS 2215(2017)	0.5	

註:本試驗報告之測試地點於新北市五股區(新北產業園區)五權路 55號。



本報告若有提供規範要求值時、該規範值僅儲參考、合格之判定以委託單位實際要求為準。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-

TWC 8230263





報告編號: HB-22-04950

C-22-21261

數: 1 OF 1

報告日期:111年 07月 25日

委 單 位: 瑞達特貿易有限公司 託 供 料 廠 商:瑞達特貿易有限公司

名 稱: 德國 PFLEIDERER 集團 Wodego 低甲醛塑合板/化妝粒片板 Melamine Faced 樣 B

Chipboard(18mm)

关 黔 人 員: 瑞達特貿易有限公司(謝佩珊)

收 件 日期: 111年 07月 06日 試 日期: 111年 07月 20日 驗

備 註: 1. 以上資料(樣品名稱、送驗人員、會驗人員、試驗方法、試驗數量、

收件日期及試驗日期除外)及下述報告內容標示#處係由顧客提供

2. 除非另有說明, 此報告結果僅對測試之樣品負責 未經本公司事先書面同意,此報告不可部分複製

試驗結果:

試驗項目	試驗方法	試驗結果
密度(g/cm³)	CNS 2215(2017)	0.71

註:本試驗報告之測試地點於新北市五股區(新北產業園區)五權路55號。



本報告若有提供規範要求值時,該規範值優無参考。合格之判定以委託單位實際要求為準。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limits of itability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not experience parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized afteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

TWR 9.1.2.0.0.8.8

f (886-2) 2299-7857

TWB 9120988 SGS Teiwan Ltd. 35, Wu Chyuan Road. (New Taiper Industrial Park.) Wu Ku District, New Teiper City, Taiwan /新北市五股區(新北產業園區)五權路355



材料暨工程實驗室-台中

報告編號: TB-22-03654

C-22-08088

數: 1

OF

報告日期: 111年07月25日

程名 稱: 自測 I

承 句

商: -----

委 單 託

位: 瑞達特貿易有限公司

供 料

廠

商: 瑞達特貿易有限公司

2

밂

樣

稱: 德國PFLEIDERER集團Wodego低甲醛塑合板/

化妝粒片板Melamine Faced Chipboard(18 mm)

送 收 人

員: 瑞達特貿易有限公司-謝佩珊

件 試

驗

日 期: 111年07月08日

驗 日

期: 111年07月08日~111年07月25日

備

註: 1.以上資料(樣品名稱、送驗人員、會驗人員、試驗方法、試驗數量、

收件日期及試驗日期除外)及下述報告內容標示#處係由顧客提供

2.除非另有說明,此報告結果僅對測試之樣品負責 未經本公司事先書面同意,此報告不可部分複製

3.本樣品由SGS材料暨工程實驗室-台北(申請書號碼: HB-22-04957 C-22-21268,

收件日期:111年07月06日)轉送至本實驗室執行本報告所示之試驗項目。

盐 驗結 果:

建 5 石 口	試驗結果		みままた・ナント	
試驗項目	測定項目	SAMPLE 1	SAMPLE 2	試驗方法
防焰性	火源加熱時間(min)	2	2	CNS 11668(2008)
	餘焰時間(sec)	1	1	
	餘爐時間(sec)	1	1	
	炭化面積(cm²)	44	47	

000

註: 1.試驗樣品厚度:SAMPLE 1為17.9 mm:SAMPLE 2為17.9 mm

#2.測試面為正面

3.本試驗之樣品不在TAF認證範圍內,

4.本試驗報告之試驗地點同實驗室地址

本報告若有提供規範值時,該規範值僅供參考 合格之判定以

This document is issued by the Company subject to its General Conditions of rins document is issued by the Company subject to its General Conditions of Selectronic formal documents, subject to Terms and Conditions for Electron Indemnification and jurisdiction issues defined therein. Any holder of this document within the limits of Client's instructions, if any. The Company's sole respot and obligations under the transaction documents. This document cannot be falsification of the content or appearance of this document is unlawful and offer refer only to the sample(s) tested.

\$6\$ Teiwen Ltd. No. 9, 14th Rd. Taich 台灣檢驗科技股份有限公司 t (886-4) 2359-1515

http://www.sgs.com.tw/Terms-and-Conditions and, for ions. Attention is drawn to the limitation of liability. Company's findings at the time of its intervention only perties to a transaction from exercising all their nghts the Company. Any unauthorized alteration, forgery or so otherwise stated the results shown in this test report val of the Company

TWD 5436812

wan /407271 台中市台中工業區14路9號 www.sgs.com.tw